

Storm Water Engineering

410 887-3768
FAX 410 887-4804

August 21, 2013

Kevin Walker, PE
Phoenix Engineering
309 International Circle #130
Hunt Valley MD 21030

RE: **CARNEY ROD & GUN CLUB**
Storm Water Management Variance
Lower Gunpowder Falls Watershed
Project I.D. D099009
Tracking Number: 05-13-1674

Dear Mr. Walker:

This office has reviewed the information submitted and finds that a stormwater management variance can be granted for this project under Section 33-4-113 (a) (2) of Title 4 of the Baltimore County Code. Section 33-4-114 (a) (2) allows a stormwater management variance to be granted if there are exceptional circumstances such that strict adherence to the provisions of this article would result in unreasonable hardship or practical difficulty and not fulfill the intent of this article. The scope of this project includes the removal and recycling of lead shot generated by 65+ years of this site being used as a trap shooting arena. Although the disturbed area is in excess of 5,000 square feet, there will be no increase in impervious area or runoff resulting from the project.

Please contact Lamar A. Williams at 410 887-3768 should you have any further questions,

/signed/

Thomas L. Vidmar, PE, Deputy Director
Department of Environmental Protection
& Resource Management

TLV:js

c: Patricia Farr, Environmental Impact Review