

**COMAR 10.17.01
PUBLIC SWIMMING POOL OR SPA
COMPLIANCE SCHEDULE APPLICATION**

Baltimore County Department of Environmental protection
and Resource Management (DEPRM)
Environmental Health Program
401 Bosley Avenue, Towson , Md. 21204
Phone 410-887-4068 Fax 410-887-3392

An owner of a public pool or spa that is not in compliance with the Maryland Public Pools and Spas Regulations may request approval from DEPRM to meet a regulation requirement at a future date provided that: 1. Operation of the pool or spa during the time allowed to bring the pool or spa into compliance does not adversely affect public health and safety; and 2. The pool or spa is otherwise in compliance with the regulations (COMAR 10.17.01.54).

1. Owner _____
 Contact Person _____
 Address _____ City _____ State _____ Zip _____
 Phone # _____ Fax # _____ Email _____

2. Facility Location
 Address _____ City _____ State _____ Zip _____
 Phone # _____ Fax # _____ Email _____

Specify the specific facility at this location that is non compliant and which you are requesting a compliance schedule.

Facility	Indoor	Outdoor	Comment	Facility	Indoor	Outdoor	Comment
Main Pool				Spa			
Wading Pool				Swim Spa			
Therapy Pool				Water Attraction			
Spray Pool				Other:			

3. Pool Professional _____
 Address _____ City _____ State _____ Zip _____
 Phone # _____ Fax # _____ Email _____

4. Specify the COMAR 10.17.01 requirement that requires a compliance schedule:

5. Specify why the requirement cannot be correctly immediately:

6. Explain interim measures in place for this requirement that protect public health and safety:

7. Describe the corrective action:

 _____ Date of Compliance: _____

8. The information provided is current and accurate: *Both signatures are required.*

 X Owner's Signature Date Print Name

 X Pool Professional's Signature Date Print Name

DEPRM Approved
 Denied Specify reason _____

 X Sanitarian's Signature Date Print Name